

150-250cc Air/Water Cooled Engine Tricycle

This tricycle features classic headlights and a simple, stylish design. It has a 13L fuel tank, high-end front shock absorbers, and a 40mm engine cylinder head space for convenient maintenance.



ADDITIONAL IMAGES



Overview

Durable Open Cargo Tricycle

This versatile three-wheel motorcycle is designed for heavy-duty cargo transport and utility applications, offering a robust frame and high loading capacity. Available in 150cc, 200cc, and 250cc configurations, it features both air and water cooling options to ensure optimal thermal management during demanding tasks. With a 13L enlarged fuel tank and efficient fuel consumption, it provides a reliable and cost-effective solution for professional B2B sourcing needs.

Performance Metrics

Performance Highlights

1000 kg

Max Loading Capacity

70 km/h

Maximum Speed

9 kw/r/min

Max Power

Engine Specifications



Available in 150cc, 200cc, and 250cc configurations with advanced thermal management.

Engine Type	200cc single-cylinder, Water-cooled, four-stroke
Ignition & Starter	C.D.I with Electric/Kick start system
Gear Shift Pattern	5
Cooling System Options	Air Cooled, Water Cooled

Chassis & Build

Key Design Features

- Classic stylish headlights
- Anti-skid points on foot pedal
- High-end front shock absorber
- 40mm engine cylinder head space for maintenance
- 13L enlarged fuel tank

Braking System	Drum (Front) / Drum (Rear)
Tire Size	5.0-12 (Front) / 5.0-12 (Rear)

Dimensions & Weight

Vehicle Dimensions

Parameter	Value
LWH	3460 x 1200 x 1400 mm
Wheel Base	2270 mm
Seat Height	900 mm
Ground Clearance	150 mm
Dry Weight	340 kg

Efficiency & Logistics

Fuel Consumption	3.8 L/100km
Container Loading (CKD)	48 units per 40HQ container

Compliance

Quality Standards

ISO 14001:2004 • CCC • SONCAP • GB/T 24001-2004