

22mm Double Head Push Button Switch - On/Off, PC Industrial

This 22mm double head push button switch is designed for on/off control in industrial applications. It features a robust PC construction suitable for various voltage levels.




Product Overview

Industrial Double Head Push Button

This 22mm double-head push button switch provides reliable circuit control for industrial machinery. Featuring a green 'I' button and a red 'O' button, it is designed for demanding environments with high impact and vibration resistance. The unit is constructed with high-grade materials to ensure long-term performance and includes both normally open (NO) and normally closed (NC) contacts.

Technical Specifications



Specializing in production of buttons and indicators since 1997

Durable PC construction suitable for industrial control circuits.

Electrical Ratings

600 V

Rated Insulation Voltage

10 A

Rated Thermal Current

6 kV

Impulse Voltage

Environmental Conditions

Condition	Range/Value
Operating Temp	-5°C to +55°C
Storage Temp	-25°C to +70°C
Humidity	35-85% RH
Pollution Grade	3

Mechanical Characteristics



XDL32-CB8325

Double-headed
Push button
1 flush green push
Marked I
1 flush red push
Marked O
IP65

N/O+N/C



Green
Black
Red

XDL32-CB8325




Diagram showing the 22mm mounting configuration and double-headed layout.

IP Rating

IP65 • IP66 • IP67 • IP68

Mechanical Lifespan

- Standard Button: 3,000,000 operations
- Emergency Button: 300,000 operations

Compliance and Standards

Certifications

CE, ISO9001, RoHS, UL, IEC60947-5-1