

# 3-Pole AC Magnetic Contactor

This 3-pole AC magnetic contactor is CUL certified and suitable for HVAC applications. It is designed for switching AC loads and ensures efficient operation in various systems.



## ADDITIONAL IMAGES



## Product Overview

### Professional HVAC Magnetic Contactor

This 3-pole definite purpose magnetic contactor is engineered for reliable switching in heating, ventilation, and air conditioning systems. It is designed to handle demanding electrical loads in refrigeration compressors and motor applications, ensuring safe and efficient operation. With CUL certification, this component meets industry standards for durability and performance in professional HVAC environments.

## Electrical Specifications

### Rated Current

**30 A**

Rated Current

**40 A**

Resistive Load per Pole

### Torque Specifications

Connection Type	Torque Range
Terminal Screws	10-20 lb. in.
Lug Set Screws	10-40 lb. in.

Coil Voltage: 208/240VAC 50/60Hz

Number of Poles: 3

## Compliance & Standards

Certifications: CUL, UL E246810

Wire Compatibility: Cu 75°C

## Service & Logistics

### Frequently Asked Questions

- Samples available for testing (shipping cost excluded)
- OEM/ODM services available
- 100% self-inspection and testing before packing
- 15-20 days delivery time after deposit
- Payment terms: 30% deposit, balance against B/L copy