

## 55L Dual Zone Portable Car Fridge Freezer

This 55L dual zone car fridge offers both refrigeration and freezing capabilities in a portable design. It features dual temperature zones and can operate on AC and DC power.



### ADDITIONAL IMAGES



### Overview

#### Versatile Dual-Zone Cooling

This 55L portable car fridge freezer is a high-performance refrigeration solution designed for professional and recreational vehicle use. Featuring independent dual-zone temperature control, it allows for simultaneous cooling and deep-freezing down to  $-20^{\circ}\text{C}$ . Built for durability and mobility, it operates on both AC and DC power, making it an essential companion for long-haul transport, camping, and outdoor activities.

## Performance & Cooling

### Precise Temperature Control

FRESH YOUR FOOD AND DRINKS EVERYWHERE

Control Temperature Down to -20°C >>>>



Independent temperature settings allow for optimal storage of everything from frozen meats to delicate skincare products.

### Temperature Range

**-20 °C**

Minimum Temp

**20 °C**

Maximum Temp

### Recommended Storage Temperatures

Item Type	Target Temp
Ice Cream	-15°C
Fresh Meat	-10°C
Chinese Tea	0~5°C
Drinks	2~5°C
Vegetables	4~6°C
Skin Care	10°C

### Cooling Technology

Compressor cooling system for efficient and reliable performance

### Operating Noise

35 dB

## Capacity & Dimensions

### Storage Estimates

- Approximately 60 cans
- Approximately 36 water bottles
- Approximately 18 wine bottles

### Dimensions & Weight

Metric	Value
Product Size	752 * 410 * 533 mm
Packing Size	712 * 432 * 575 mm
Net Weight	15.8 kg
Gross Weight	17.0 kg

### Total Volume

55 L

## Electrical & Power

Power Input	DC 12V, DC 24V, AC 110-240V
Power Consumption	45 W
Battery Protection System	Yes

## Design & Features

### Mobility Features

- Robust integrated handle
- Heavy-duty transport wheels
- Dual-zone independent control

### User Interface

Digital control panel with temperature display

## Compliance & Quality

### Quality Standards

CE • SGS • RoHS • ISO 9001 • LVD