

## 8-Rod Commercial Chicken Rotisserie Oven

This commercial gas chicken rotisserie oven is designed for roasting up to eight chickens simultaneously. It features adjustable temperature control, a rotating mechanism for even cooking, and a durable stainless steel construction.



### ADDITIONAL IMAGES



### Product Overview

#### Professional 8-Rod Commercial Chicken Rotisserie

This high-capacity commercial gas rotisserie is designed for efficient, high-volume roasting in professional kitchens, hotels, and catering environments. Featuring an 8-rod system and full stainless steel construction, it ensures even cooking and durability for demanding food service operations. The unit combines infrared heating technology with independent controls for precise results and energy efficiency.

### Key Performance Metrics

#### Key Performance Metrics

**8 pcs**

Cooking Rods

**800 W**

Power

**550 °C**

Max Temperature

## Technical Specifications



The full stainless steel construction and tempered glass doors provide durability and high visibility for customers.

Power Source	Gas
Voltage	220 V
Temperature Range	20°C to 550°C
Construction Material	Full stainless steel 201

## Design & Features



Independent controls for fire, motor, and lighting for each roasting rod ensure precise cooking management.

### Key Features

- High-performance infrared heater for uniform heating
- Heat-resistant tempered glass on two sides
- High-performance honeycomb ceramic burner
- Independent control for each floor/rod
- Overheat and machine safety protection devices
- Removable drip tray for easy cleaning
- Casters for easy mobility

### Ideal Applications

Hotel, Commercial Kitchen, Restaurant, Catering Service, Supermarket

## Model Comparison

### Rotisserie Series Specifications

Model	Capacity	Dimensions (LxWxH mm)	Power (KW)
WJ-2	2 Rods	1380*500*660	0.2
WJ-3	3 Rods	1380*500*860	0.3
WJ-4	4 Rods	1380*500*1060	0.4
WJ-5	5 Rods	1380*500*1260	0.5
WJ-6	6 Rods	1380*500*1525	0.6
WJ-7	7 Rods	1380*500*1725	0.7
WJ-8	8 Rods	1380*500*1925	0.8

## Logistics & Service

Compliance  
CE

Warranty & Support

1 Year warranty with free spare parts provided

Packaging

Carton packed with ply-wooden pallet

Gross Weight

168 kg