

Air Conditioner Electrical Whip with Flexible Conduit

This air conditioner whip features UL listed flexible non-metallic conduit, a metallic straight connector, and a nonmetallic 90° connector. It is designed for connecting an outside air conditioning unit to electrical power.



ADDITIONAL IMAGES



Product Overview

Professional HVAC Electrical Connection

This pre-wired, non-metallic electrical whip is designed for seamless connection between outdoor disconnects and air conditioning condenser units. Engineered for durability, it provides a flexible, liquid-tight raceway that protects internal wiring from moisture, corrosion, and physical damage. These whips are designed to offer significant labor and time savings for electrical contractors while ensuring a code-compliant installation.

Technical Specifications

Temperature Ratings

60 °C
Dry Rating

160 °C
Wet Rating

Applicable NEC Articles

- 310.10(C)(H)(2) and (4)
- Table 310.15(B)(2)(A)
- 356.10(1), (2) and (3)
- 350.22(A)
- 350.30(A)
- 440.6
- 440.31

Conduit Trade Size	3/4 inch
Wire Gauge	10 AWG
Compliance & Standards	UL Listed, NEC 2017 Compliant

Logistics & Packaging

Key Features

Oil-Resistant • Liquid-Tight • Non-Metallic • Includes Reducing Washers

Packaging Unit

6 whips per carton