

Coaxial Cable Splitter 5-1000MHz

This cable splitter is designed for splitting a single coaxial cable input into three outputs. Each output features a 10dB tap and supports a frequency range of 5-1000MHz.



Overview

Professional Coaxial Signal Distribution

This 3-way tap cable splitter is engineered for high-performance signal distribution across a 5-1000MHz frequency range. Constructed with a durable zinc alloy die-cast body and nickel plating, it ensures long-lasting reliability and superior electromagnetic shielding up to 120dB. It is an ideal solution for distributing cable TV or satellite signals to multiple devices while maintaining signal integrity.

Technical Performance

Performance Highlights

1000 MHz
Max Frequency

120 dB
Shielding

10 dB
Tap Loss

Frequency Range	5-1000MHz
Electromagnetic Shielding	Up to 120dB

Physical Construction

Surface Treatment

Nickel Plated

Housing Material	Zinc alloy die casting
------------------	------------------------

Connectivity

Output Configuration

- 1 x Input Port
- 3 x Tap Outputs (10dB)
- 1 x Out Port

Connector Type	75 ohm F-type
----------------	---------------

Installation

Mounting Features

- Dual-side fixing holes
- Integrated ground hole
- Ground screw included

Compliance & Standards

Nominal Impedance

75 ohm