


Double Head Push Button Switch with Waterproof Cap

This double-headed push button switch is designed for on/off control. It features a waterproof cap and includes both normally open (NO) and normally closed (NC) contacts.




Product Overview

Double Head Push Button Switch

This double-headed push button switch is engineered for reliable on/off control in industrial environments. Featuring a robust waterproof cap and durable zinc alloy construction with anti-flame plastic, it is designed to withstand harsh conditions while providing versatile control through integrated normally open (NO) and normally closed (NC) contacts. It is an ideal solution for control panels, distribution cabinets, and power stations requiring high-performance switching.

Technical Specifications



Technical layout showing the contact blocks and terminal configuration for the push button switch.

Mechanical Life

1000000 cycles
Pushbutton

500000 cycles
Selector Switch

Electrical Life

500000 cycles
Pushbutton

250000 cycles
Selector Switch

Rated Insulation Voltage	AC 600V (50Hz/60Hz)
Conventional Heating Current	10 A
Insulation Resistance	e5M©
Contact Resistance	d25n©

Design & Construction



Detailed view of the double-headed push button switch with flush green 'I' button and projecting red 'O' button.

Ingress Protection

IP65

Material Composition

- Zinc Alloy Main Body
- High-grade Anti-flame Plastic
- Silver Alloy Contacts

Contact Configuration

NO, NC

Certifications & Compliance

Standards & Certifications

CE, ISO 9001, RoHS, UL, IEC 60947-5-1, GB/T 14048.1

Applications

Suitable Environments

- Distribution Boxes
- Distribution Cabinets
- Control Cabinets
- Power Stations
- Communication Networks