

Dry Powder Filling Machine

This dry powder filling machine ensures precise and efficient filling of dry powder materials. It offers adjustable filling speeds and high accuracy for consistent results.

自动型灭火器干粉灌装线

Automatic fire extinguisher powder filler

MH19-13

技术参数
 灌装精度: 1kg ± 0.02
 灌装速度: 6-12kg/min
 电压: AC180V/AC220V 50Hz
 功率: 0.55kW/1.5kW
 重量: 200kg
 体积: 长×宽×高
 1130x520x1350mm

PARAMETERS
 Filling precision: 1kg ± 0.02
 Filling speed: 6-12kg/min
 Voltage: AC180V/AC220V 50Hz
 Power: 0.55kW/1.5kW
 Weight: 200kg
 Volume: length x width x height
 1130x520x1350mm



ADDITIONAL IMAGES



Overview

High-Precision Dry Powder Filling Solutions

These professional-grade dry powder filling machines are engineered for precise and efficient material handling, specifically optimized for fire extinguisher maintenance and production. Available in multiple configurations, these units deliver consistent filling accuracy and reliable throughput. Whether you require a compact unit for standard operations or a high-capacity production line, these machines provide the versatility needed for various industrial filling applications.

Model Comparison

Technical Specifications by Model

Model	Filling Precision	Filling Speed	Power Rating	Weight
MH19-11	1kg d ±0.015	6-12 kg/min	0.55 kW	100 kg
MH19-12	±1.5% - ±4%	9 pcs/min (4kg)	3 kW	N/A
MH19-13	1kg d ±0.02	6-12 kg/min	0.55 / 1.5 kW	200 kg

Operational Requirements

Power Supply

AC220V, AC380V, 50Hz

Driving Gas (Model MH19-12)

Dry and clean compressed air: 0.6 to 0.8Mpa

Performance Metrics

Performance Highlights

12 kg/min
Max Filling Speed

3 kW
Max Power