

# Electric High-Pressure Washer

This high-pressure washer is designed for efficient cleaning of various surfaces. It features a durable construction with an integrated handle and wheels for easy maneuverability.

	YL0889FC120	YL0889FC140	YL0889FC160	YL0889FC180
	205 200V VARIA® 1200-120V VARIA®		205 200V VARIA® 1600-160V VARIA®	
Value / Frequency	1200V		1600V	
Max Power (W)	1000	1000	1000	1400
Max Pressure (bar)	130	140	85	100
Rated Pressure (bar)	90	95	45	57
Max Flow Rate (l/min)	5.5	5.5	4.8	5.4
Wash Length (m)	5	5	5	5
Storage Over Length (m)	5	5	5	5
Adjustable Spray Lance	•	•	•	•
Adjustable Lance / Nozzle	20x1 Nozzle	20x1 Nozzle	20x1 Nozzle	20x1 Nozzle
Detergent Tank	•	•	•	•
Quick Coupling	•	•	•	•
Hose Reel	•	•	•	•
Telescopic Handle	•	•	•	•

## ADDITIONAL IMAGES



## Product Overview

### Efficient Cleaning Performance

This electric high-pressure washer is engineered for versatile cleaning tasks, suitable for both residential and light commercial environments. It features a robust design with integrated wheels and a handle for superior maneuverability. Equipped with a tri-axial plunger pump and a built-in thermal protector, it ensures reliable operation and longevity for various surface cleaning applications.

## Key Features

### Key Features

- Quick Connection for fast setup
- Tri-axial Plunger Pump
- Total Stop System
- Built-in Thermal Protector
- Adjustable Spray Lance
- Onboard Accessory Storage
- Integrated Detergent Tank with Adjusting Knob
- Functional Hose Reel

## Technical Specifications

### Performance Models

Model	Max Pressure (bar)	Rated Pressure (bar)	Power (W)	Flow Rate (l/min)
YLQ5691G65	65	45	1000	4.6
YLQ5691G100	100	67	1400	5.4
YLQ5691C130	130	90	1500	5.5
YLQ5691C140	140	95	1600	5.5

### Hose and Cord Length

**5 m**

Hose Length

**5 m**

Electrical Cord

### Motor Options

Carbon Brush • Induction

### Electrical Compatibility

220-240V 50/60Hz, 120-127V 50/60Hz, 220-230V 50/60Hz