


Elevator Position Selector Switch with Long Handle

This long handle selector switch is designed for elevator position indication and control. It features a robust construction suitable for industrial environments.



Product Overview



Specializing in production of buttons and indicators since 1997

Professional-grade long handle selector switch for elevator control systems.

Industrial Selector Switch

This long handle selector switch is engineered for high-performance elevator position control and industrial circuit management. Featuring durable construction with a zinc alloy body and silver alloy contacts, it provides reliable signal control and interlocking capabilities in demanding environments. It is fully compliant with international safety standards, ensuring consistent performance for professional electrical applications.

Electrical Ratings

Performance Metrics

660 V

Max AC Voltage

400 V

Max DC Voltage

10 A

Rated Current

6 kV

Impulse Voltage

Environmental Performance

Operating Temperature	-5°C to +55°C
Storage Temperature	-25°C to +70°C
Operating Humidity	35-85% RH

Mechanical Specifications

Mechanical Durability

- Pushbutton: 3,000,000 cycles
- Emergency button: 300,000 cycles

IP Rating

IP40 • IP54 • IP65 • IP66 • IP67 • IP68

Fastening Torque

0.8 Nm

Compliance and Standards

Certifications

CE, ISO 9001, RoHS, UL

Applied Standards

IEC 60947-5-1, GB/T 14048.1, GB 14048.5