

Evaporative Air Cooler with 8000 m³/h Air-flow

This air cooler provides efficient cooling through water evaporation from three sides. It has a maximum airflow of 8000m³/h.



ADDITIONAL IMAGES




Product Overview

High-Efficiency Evaporative Cooling

This evaporative air cooler delivers a powerful 8000 m³/h airflow, making it an ideal cooling solution for spaces between 55 to 60 square meters. Designed for convenience and efficiency, it features a large 60L water tank, a pure copper motor for durability, and a space-saving inverted packing design to reduce shipping costs. The unit offers versatile operation with three speed settings and automatic left-right swing for optimal air distribution.

Performance & Technical Data

	Model No.	VU0800F-18
	Power	200W
	Voltage	220V / 110V
	Frequency	50Hz / 60Hz
	Water tank capacity	60L
	Airflow	8000m ³ /h
	Timer	NO
	Product size (with casters)	680 x 410 x 1250mm
	Packing size	695 x 460 x 980mm
	Gross weight	21kg
	Net weight	18kg
	Loading Qty	20'GP: 98pcs 40'HQ: 230pcs
	Speed	3 speeds
	Control board	Mechanical type
	Style of swing (Motor)	Up-down Manual Left-right Automatic

Comprehensive technical data including dimensions, power specs, and loading quantities.

Performance Highlights

8000 m³/h

Max Airflow

200 W

Power Consumption

60 L

Water Tank Capacity

Electrical Specifications

Parameter	Value
Voltage	220V / 110V
Frequency	50Hz / 60Hz
Motor Type	Pure Copper Motor

Effective Area

55-60 m²

Design & Features

Core Features

- 3-sided air intake for maximum wind volume
- Top-loading ice/water inlet for easy refilling
- Separated water tank for convenient cleaning
- Easy-to-remove filter net
- Mechanical control board with 3 speed settings
- Automatic left-right swing and manual up-down swing

Physical Dimensions

Product Size (with casters)	680 x 410 x 1250 mm
Net Weight	18 kg
Gross Weight	21 kg

Logistics & Packaging

Packaging Information

Type	Specification
Packing Size	695 x 460 x 980 mm
Carton Type	Standard Kraft (5 layers)
Space Saving	Water tank inverted on body for shipping

Container Loading Quantity

- 20'GP: 98 pcs
- 40'HQ: 230 pcs

Compliance & Services

Certifications

CE • EMC • LVD • CB • ISO 9001 • ISO 14001

Available Services

OEM, ODM