

# FFP2 Valved Filtering Half Mask

This FFP2 valved filtering half mask is designed to protect against solid and liquid aerosols. It complies with EN149:2001+A1:2009 standards and features a valve for improved breathability and comfort.



## ADDITIONAL IMAGES



## Product Overview

### Professional Respiratory Protection

This FFP2 valved filtering half-mask is designed to protect users against solid and liquid particles of average toxicity. It features a cup-shaped design with an integrated nose clip and foam reinforcement for a secure and comfortable fit during extended wear. With an efficiency rating of 94%, it is an essential choice for industrial environments involving sanding, drilling, and processing of various materials.

## Standards & Compliance

### Certifications

EN149:2001+A1:2009, FFP2, NR, D

## Technical Specifications

### Filter Efficiency

**94 %**

Filtration Efficiency

### Construction Materials

- Non-woven Fabric
- Melt Blown Filter
- Needle-punched Cotton

## Usability & Maintenance

### Usage Guidelines

- Do not use for more than 8 hours
- Single-use only (disposable)
- Store in a cool place
- Use only within defined scope

## Applications

### Recommended Uses

- Sanding of soft wood
- Composite materials
- Rust removal
- Putty and plaster work
- Plastic cutting and deburring
- Metal grinding and drilling