

# Hydraulic Rock Breaker with 135mm Rod

This hydraulic breaker is an important working tool that uses pressure oil from an excavator or loader pump station. It is widely used in construction fields for mining hard objects such as rocks and reinforced concrete.



## Product Overview

### High-Efficiency Demolition Attachment

This hydraulic rock breaker utilizes pressure oil from your excavator to deliver high-impact energy for clearing foundation rocks, concrete, and old building structures. It offers exceptional versatility by supporting various drill rods for tasks ranging from secondary crushing in mining to industrial demolition. Designed for safety and efficiency, this unit provides a reliable alternative to secondary blasting operations.

## Performance Metrics

### Key Performance Indicators

**400 bmp**

Min Blow Frequency

**800 bmp**

Max Blow Frequency

**135 mm**

Chisel Diameter

## Technical Specifications

### Physical Dimensions and Weight

- Body weight (incl. chisel): 850 kg
- Total operating weight: 1658 kg
- Dimensions (L\*W\*H): 2367\*575\*1202 mm

### Hydraulic Requirements

- Hydraulic oil flow: 130–150 l/min
- Hydraulic pressure: 160–180 Kg/cm<sup>2</sup>

## Compatibility

Recommended Carrier Weight

22 ton

## Commercial Details

### Purchase Terms

- MOQ: 1 Unit
- Payment: T/T, Western Union, Paypal, L/C
- Delivery: 7 days after advanced payment

Certifications

CE