

Hydraulic Rock Drill

This hydraulic rock drill is designed for general excavations, quarrying, and bolting applications. It is compatible with hexagonal shank rods and can use either water or air flushing.



ADDITIONAL IMAGES



Overview



High-Performance Hydraulic Rock Drilling

The YYT28 hydraulic rock drill is engineered for high-efficiency excavations, quarrying, and bolting operations. Designed to withstand demanding mining and construction environments, it offers advanced technology and a long working life. This versatile tool supports both water and air flushing to adapt to various geological conditions.

Key Performance Metrics

Performance Highlights

| | | |
|----------------------------------|-----------------------------------|-----------------------------------|
| 28 kg Operating Weight | 32 mm Min Hole Diameter | 50 mm Max Hole Diameter |
|----------------------------------|-----------------------------------|-----------------------------------|

Technical Specifications



Flushing Options

- Water flushing
- Air flushing

| | |
|------------|------------------------------|
| Shank Size | 22mm (7/8") x 108mm (4 1/2") |
| Shank Type | Hexagonal shank rods |

Applications



| | |
|----------------------|--|
| Primary Applications | General Excavation, Quarrying, Bolting, Piling, Mining |
|----------------------|--|

Compliance & Quality

Certifications

ISO Approved

Operational Features

Design Benefits

- Energy saving technology
- Environmental protection design
- Safety-focused engineering
- Flexible and easy to handle