

ISOFIX Baby Seat Safety Belt

This ISOFIX safety belt is designed for securing baby seats in automobiles. It features durable webbing construction with adjustable components for secure attachment.



ADDITIONAL IMAGES



Overview



Detailed view of the ISOFIX safety belt showing the push-button release and total length of 1615mm.

High-Safety ISOFIX Child Restraint System

This ISOFIX baby seat safety belt is engineered to provide a secure and stable connection between child restraint systems and vehicle anchor points. Constructed from high-strength 100% polyester webbing, it features a robust push-button release mechanism with visual indicators for guaranteed locking. Designed for universal compatibility with most modern vehicles, this system ensures peace of mind and enhanced protection for young passengers during transit.

Key Features



The high-capacity connector ensures a secure latch to the vehicle's lower anchor bars.

Primary Dimensions

1615 mm

Maximum Total Length

38 mm

Webbing Width

Safety Certifications

ISO9001:2015, DOT, CCC, ECER16, FMVSS 302

Technical Specifications



Precise measurements of the 38mm webbing and the 60mm ISOFIX metal connector.

Component Dimensions

Component	Measurement
Webbing Size	38 x 1.15 mm
ISOFIX Connector Height	60 mm
ISOFIX Connector Width	22 mm
Connector Thickness	2 mm

Webbing Material

100% Polyester

Application & Versatility

Compatible Vehicles

- Passenger Cars
- Buses
- Trucks
- Engineering Vehicles

Available Configurations

- Static 2-Point & 3-Point
- 2-Point & 3-Point Retractor
- 4-Point Safety Belt
- 5-Point Safety Belt

Supply Chain Details

Nearest Ports

Ningbo • Shanghai

Minimum Order Quantity

100 pcs

Lead Time

20 Days against order confirmation