

# LED Indicator Push Button Switch

This plastic flush indicator push button switch features an integrated LED lamp for clear visual indication. It is designed for use in controlling circuits of AC voltage up to 660V and DC voltage below 400V.



## Overview



Specializing in production of buttons and indicators since 1997

Robust plastic flush indicator push button switch featuring an integrated LED lamp for clear industrial signaling.

## Industrial LED Indicator Push Button Switch

The LAY5-EW3571 is a high-performance, plastic flush indicator push button switch designed for reliable industrial control applications. It features an integrated LED lamp for clear status signaling and is constructed from high-grade anti-flame plastic and durable zinc alloy. Built for versatility, this switch supports both normally open (NO) and normally closed (NC) configurations and is suitable for AC voltage up to 660V and DC voltage below 400V.

## Electrical Ratings

Rated Insulation Voltage	600 V
Conventional Heating Current	10 A
Insulation Resistance	e5M@
Contact Resistance	d25m@
Withstand Voltage	AC 2.5KV/min

## Performance Metrics

### Mechanical Life

**100000 cycles**

Pushbutton

**50000 cycles**

Selector Switch

### Electrical Life

**500000 cycles**

Pushbutton

**250000 cycles**

Selector Switch

Continuous Working Life

100000 hours

## Compliance & Standards


### Compliant Standards

- GB/T14048.1
- IEC60947-5-1

### Certifications

CE, ISO 9001, RoHS, UL

## Physical Specifications




**LAY5-EW3571**


Via integral resistance  
Ba9s, bulb supplied  
Neon (BA9S)  
LED

N/O  
130V  
220~240V

N/C



○ White LAY5-EW3171  
● Green LAY5-EW3371  
● Yellow LAY5-EW3571  
● Pure Blue LAY5-EW3671  
● Red LAY5-EW3472



Technical diagram detailing dimensions, mounting requirements, and configuration options for the LAY5-EW3571 series.

### Material Composition

Zinc Alloy • Anti-flame Plastic

### Mounting Hole Diameter

22 mm

### Maximum Panel Thickness

4 mm