




Modular Plastic Conveyor Belt with Flush Grid

This modular plastic conveyor belt features a flush grid design for efficient drainage. It is constructed from durable, food-approved materials suitable for various applications.



ADDITIONAL IMAGES



Overview

High-Performance Flush Grid Conveyor Belt

This modular plastic conveyor belt is engineered for demanding industrial environments, particularly in the food and water processing sectors. Featuring a flush grid design, it offers superior drainage and airflow capabilities, which helps prevent product accumulation and maintains high hygiene standards. The modular construction ensures easy assembly, maintenance, and customization, significantly reducing downtime and operational costs compared to traditional belt systems.

Technical Specifications

Pitch	25.4 mm
Thickness	8.6 mm
Minimum Width	84 mm
Open Area	42 %
Rod Diameter	4.5 mm
Working Temperature	-40°C to 260°C
Available Materials	PP, POM, PE, PA
Available Colors	White, Blue, Gray, Nature, Dark-brown

Configuration

Sprocket Dimensions

- 12T-2R
- 18T-2R
- 20T-2R
- Square bore & Round bore options

Belt Features

- Flight: No
- Side Guard: No
- Curve: No

Compliance & Performance

Certifications

FDA • EU

Max Load Capacity

1.2 tons/sqm

Maximum Load

Applications

Industry Applications

Sector	Applications
Food Industry	Meat, Poultry, Sea Food, Bakery, Snack Food, Fruit & Vegetables
Non-food Industry	Automotive, Packaging, Printing, Postal, Can/PET Manufacturing