


Multi-Capsule Coffee Machine

This coffee machine is compatible with multiple capsule systems for versatile brewing. It features easy one-button operation and multiple cup size settings.



ADDITIONAL IMAGES



Product Overview



Our product line includes high-performance espresso, capsule, and drip coffee makers.

Versatile Multi-Capsule Brewing Solution

This multi-functional coffee machine is designed for maximum versatility, supporting Nespresso capsules, Dolce Gusto capsules, and traditional ground coffee. Engineered for professional-grade extraction, it features a high-pressure Italian pump and a rapid heating system to deliver café-quality espresso and cappuccino at home or in the office. With its user-friendly interface and easy-to-clean detachable components, it offers a seamless brewing experience for diverse coffee preferences.

Performance & Extraction



Model CM6695B features a 15 Bar Italian pump and 1450W power rating for professional espresso extraction.

Key Performance Metrics

15 Bar

Pump Pressure

1450 W

Power Rating

1.2 L

Water Capacity

Compatibility



Versatile brewing system compatible with Dolce Gusto, Nespresso, and ground coffee.

Compatible Systems

Nespresso Capsules, Dolce Gusto Capsules, Ground Coffee, Coffee Pods (ESE)

Technical Specifications



Equipped with PCB control, safety valves, and durable stainless steel components.

Safety Protections

- Overheating protection device
- Overpressure protected device
- Safety valve for automatic pressure release

Voltage

110V - 240V

Heating System

Thermo-block heating for rapid temperature control

Design & Convenience

User Convenience

- Removable transparent water tank
- Detachable frothing nozzle for easy cleaning
- Removable drip tray
- Stainless steel cup mat for preheating
- 2 switches with indicator lights for 1 or 2 cups

Construction

SUS filter holder with die-casting aluminum alloy boiler

Logistics & Packaging

Shipping Dimensions

Unit	Dimensions (mm)	Weight (kg)
Gift Box	348 x 186 x 380	3.05 (approx)
Export Carton (4pcs)	770 x 365 x 400	15.0 (GW)

Container Loading Capacity

- 20GP: 1040 PCS
- 40GP: 2200 PCS
- 40HQ: 2480 PCS

Compliance

International Standards

CE • CB • RoHS • ETL