

# S-K Series AC Contactors

S-K Series AC contactors are used for electrical switching. The models have varying rated heat current and control power at different voltages.

## Specifications

Model	Rated Heat current(A)	Rated Working current (A)			AC-3		Control power (KW)	
		220V	380V	660V	220V	380V	660V	
S-K10	20	11	9	5	2.2	4	4	
S-K11	20	13	12	7	3	5.5	5.5	
S-K12	20	13	12	7	3	5.5	5.5	
S-K18	25	18	16	9	4	7.5	7.5	
S-K20	32	22	22	9	5.5	11	7.5	
S-K21	32	22	22	9	5.5	11	7.5	
S-K25	50	30	30	12	8.5	15	11	
S-K35	60	40	40	17	12	18.5	15	
S-K50	80	55	50	26	17	22	22	
S-K65	100	65	62	35	19	30	30	
S-K80	135	85	85	52	24	45	45	
S-K95	135	105	105	65	30	55	55	

## Product Overview

### S-K Series AC Contactors

The S-K Series AC Contactors are high-performance switching devices designed for reliable industrial control. This series encompasses a wide range of models from S-K10 up to S-K95, offering versatile solutions for varied electrical loads. Built for durability and precise operational control, these contactors support multiple voltage tiers to meet diverse application requirements.

## Performance Data

### Model Specifications

Model	Rated Heat Current (A)	AC-3 380V (A)	AC-3 380V (KW)
S-K10	20	9	4
S-K11	20	12	5.5
S-K12	20	12	5.5
S-K18	25	16	7.5
S-K20	32	22	11
S-K21	32	22	11
S-K25	50	30	15
S-K35	60	40	18.5
S-K50	80	50	22
S-K65	100	62	30
S-K80	135	85	45
S-K95	135	105	55

## Product Features

### Available Models

S-K10, S-K11, S-K12, S-K18, S-K20, S-K21, S-K25, S-K35, S-K50, S-K65, S-K80, S-K95