

# Self-Priming Jet Pump

This self-priming jet pump is suitable for ambient temperatures up to 40°C and fluid temperatures up to 40°C. It can handle a maximum pressure of 10 bar.

Type	Power (HP)	Power (kW)	Max. Flow (l/min)	Max. Head (m)	Suction Head (m)	N <sub>11</sub> (RPM)	PACKAGE DIMENSIONS (mm)			
							A	B	M	H <sub>g</sub>
JET60B	0.5	0.37	42	38	9	2850	118	165	200	118
JET80B	0.75	0.55	48	46	9	2850	138	185	220	128
JET100B	1	0.73	54	52	9	2850	158	205	230	138

## ADDITIONAL IMAGES



## Product Overview

### High-Performance Self-Priming Jet Pumps

The JETB series injection-type pumps combine centrifugal force with nozzle technology to provide reliable, high-head performance. Designed for clean water applications, these units excel at rapid self-priming and are perfect for domestic water supply, pressure boosting, and garden irrigation. Their robust design ensures durability, making them an ideal choice for both residential and agricultural environments.

## Key Features

### Capabilities

Self-Priming, High Head, Deep Suction, Clean Water Compatible, Pressure Boosting

## Technical Specifications

### Performance Overview

**54 l/min**

Maximum Flow

**52 m**

Maximum Head

**9 m**

Suction Head

**2850 R.P.M**

Rotational Speed

### Model Comparisons

Model	Power (HP)	Q.max (l/min)	H.max (m)	Net Weight (kg)
JET60B	0.5	42	38	9
JET80B	0.75	48	46	9
JET100B	1	54	52	9

## Installation Requirements

### Placement Instructions

- Install in a covered area
- Protect against adverse weather conditions
- Suitable for wells and swimming pools
- Compatible with surge tanks and pressure switches