

Stainless Steel Banding Buckle with Screw Lock

This stainless steel buckle is designed for banding and strapping applications. It features a screw-type locking mechanism to ensure a secure and reliable hold.



Product Overview



Detailed view of the screw-type locking mechanism for secure fastening.

High-Performance Stainless Steel Banding Buckle

This stainless steel buckle features a robust screw-type locking mechanism designed for secure and reliable banding and strapping applications. Engineered for demanding industrial environments, the uncoated finish provides superior corrosion and acid resistance, ensuring long-lasting performance in both indoor and outdoor settings. Its ergonomic design allows for easy and fast operation, significantly improving efficiency during installation.


Key Features

Performance Benefits

Acid-proof, Corrosion resistant, High tensile strength, Screw-type locking, Easy operation

Technical Specifications

TENPRO®



Durable, high-quality stainless steel buckle for industrial banding applications.

Available Models and Dimensions

Model	Width	Thickness	Packing Qty
TSBS-6.4	1/4 (8mm)	1	100
TSBS-9.5	3/8 (10mm)	1.2	100
TSBS-12.7	1/2 (12.7mm)	2.2	100
TSBS-16	5/8 (16mm)	2.2	100
TSBS-19	3/4 (19mm)	2.2	100

Material	Stainless Steel
----------	-----------------

Surface Finish	Uncoated
----------------	----------