


# Two-Gang Two-Way Light Switch


This two-gang, two-way light switch controls two separate lights from two locations. It features a fire-resistant PC housing and offers options for screw or screw-less terminal connections.



## ADDITIONAL IMAGES



## Overview



Modular design featuring two individual switch plates within a unified frame.

### Premium Modular Lighting Control

This S81 Series two-gang, two-way light switch offers a sophisticated and flexible solution for modern electrical installations. Featuring a unique 4-degree button swing angle for an elegant aesthetic, it utilizes a pendulum structure for rapid circuit switching. The modular design allows for extensive customization with various cover materials and easy inventory management for professional contractors.

## Technical Performance



Back view showing terminal ports and robust PC housing construction.

### Electrical Specifications

**250 V**

Rated Voltage


**10 AX**

Rated Current

### Safety & Durability

- Fire resistant PC back-housing
- Withstands 850°C glow wire test
- 3000V high voltage insulation test
- Integrated child-proof shutters
- 10-year mechanical warranty

## Design & Materials



Flexible combination system allows for easy inventory management and customization.

### Design Features

- 4-degree elegant swing angle
- Flat and cambered design options
- Up to 27 color options
- Modular fitting for free combination

### Available Cover Materials

Plastic, Wood, Glass, Aluminum, Fire-resistant PC

## Installation



Clean, modern aesthetic suitable for residential and commercial flush mounting.

### Installation Features

- Screw and screw-less terminal options
- Hanger installation (removable hanger option)
- Notched pins for perfect finish on uneven walls
- Universal frame for horizontal/vertical mounting

## Dimensions

### Mounting Standards

Type	Hole Spacing	Total Width
Square Mounting	53mm	60mm
Rectangular Mounting	71mm	124mm

Unit Dimensions 74.7 x 74.7 x 35.2 mm

## Logistics

### Packaging Details

- 1 pc per bag
- 10 pcs per box
- 100 pcs per carton

### Ordering Terms

- Minimum Order Quantity: 3000 PCS
- Payment Term: FOB SHUNDE

## Compliance

### Certifications

CE • TUV