

# Wireless Gooseneck Microphone System

This wireless gooseneck microphone system is designed for use in conference rooms and meeting halls. It includes a receiver and gooseneck microphones for clear audio transmission.



## Overview

### Professional Wireless Gooseneck System

The PU-4677 is a professional-grade wireless gooseneck microphone system designed for high-clarity audio in conference rooms and meeting halls. It features a reliable UHF frequency range of 600-900MHz to ensure stable connectivity and minimal interference during critical sessions. With a 60-meter working distance and up to 10 hours of battery life, it provides the flexibility and endurance required for extended professional use.

## Audio Performance

### Key Audio Metrics

**20 kHz**

Frequency Response Max

**90 dB**

Dynamic Range

**98 dB**

S/N Ratio

**60 m**

Working Distance

## Technical Specifications

### System Specifications

Parameter	Value
Frequency Range	600-900MHz
Frequency Stability	<±0.005%
T.H.D.	<0.5%
Maximum Deviation	±45KHz

### Power Requirements

- Receiver: AC 100-240V, 50/60Hz
- Receiver Consumption: 3W
- Transmitter Battery: AA 1.5V x 2
- Battery Life: 8-10 hours

## Certifications & Compliance

### Compliance Indicators

UHF Compliant, FM Modulation, Professional Grade